



January 19, 2024

Michael Ferraro
OHM BOCES Utica City School District
320 Elizabeth St.
Utica, NY 13501

RE: Project: WATSON WILLIAMS ELEMENTARY1/10
Pace Project No.: 70284329

Dear Michael Ferraro:

Enclosed are the analytical results for sample(s) received by the laboratory on January 16, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jack M. Germano
jack.germano@pacelabs.com
516-370-6012
Project Manager

Enclosures

cc: Erica Molina, OHM BOCES Utica City School District
OHM BOCES Safety Services, OHM BOCES Utica City
School District
Tiffany Service, OHM BOCES Utica City School District



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

Pace Analytical Services Long Island

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Virginia Certification # 460302

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

Sample: WATSON 2	Lab ID: 70284329001	Collected: 01/10/24 05:43	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 16:31	7439-92-1	

Sample: WATSON 3	Lab ID: 70284329002	Collected: 01/10/24 05:45	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 16:35	7439-92-1	

Sample: WATSON 5	Lab ID: 70284329003	Collected: 01/10/24 05:42	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 16:43	7439-92-1	

Sample: WATSON 7	Lab ID: 70284329004	Collected: 01/10/24 05:38	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 16:45	7439-92-1	

Sample: WATSON 8	Lab ID: 70284329005	Collected: 01/10/24 05:40	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 16:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

Sample: WATSON 9	Lab ID: 70284329006	Collected: 01/10/24 05:39	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 16:48	7439-92-1	

Sample: WATSON 11	Lab ID: 70284329007	Collected: 01/10/24 05:33	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 16:49	7439-92-1	

Sample: WATSON 12	Lab ID: 70284329008	Collected: 01/10/24 05:34	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 16:51	7439-92-1	

Sample: WATSON 13	Lab ID: 70284329009	Collected: 01/10/24 05:31	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 16:52	7439-92-1	

Sample: WATSON 14	Lab ID: 70284329010	Collected: 01/10/24 05:32	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 16:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

Sample: WATSON 15	Lab ID: 70284329011	Collected: 01/10/24 05:30	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 16:56	7439-92-1	

Sample: WATSON 17	Lab ID: 70284329012	Collected: 01/10/24 05:22	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 16:57	7439-92-1	

Sample: WATSON 18	Lab ID: 70284329013	Collected: 01/10/24 05:23	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:02	7439-92-1	

Sample: WATSON 19	Lab ID: 70284329014	Collected: 01/10/24 05:24	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:03	7439-92-1	

Sample: WATSON 21	Lab ID: 70284329015	Collected: 01/10/24 05:26	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:05	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

Sample: WATSON 27	Lab ID: 70284329016	Collected: 01/10/24 05:27	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:06	7439-92-1	

Sample: WATSON 28	Lab ID: 70284329017	Collected: 01/10/24 05:28	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:08	7439-92-1	

Sample: WATSON 36	Lab ID: 70284329018	Collected: 01/10/24 05:48	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:10	7439-92-1	

Sample: WATSON 38	Lab ID: 70284329019	Collected: 01/10/24 05:49	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:11	7439-92-1	

Sample: WATSON 39	Lab ID: 70284329020	Collected: 01/10/24 05:47	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:13	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

Sample: WATSON 40	Lab ID: 70284329021	Collected: 01/10/24 05:50	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:20	7439-92-1	

Sample: WATSON 42	Lab ID: 70284329022	Collected: 01/10/24 05:54	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:25	7439-92-1	

Sample: WATSON 44	Lab ID: 70284329023	Collected: 01/10/24 05:56	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.2	ug/L	1.0	1		01/18/24 17:29	7439-92-1	

Sample: WATSON 46	Lab ID: 70284329024	Collected: 01/10/24 05:57	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:31	7439-92-1	

Sample: WATSON 48	Lab ID: 70284329025	Collected: 01/10/24 06:05	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.0	ug/L	1.0	1		01/18/24 17:33	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

Sample: WATSON 49	Lab ID: 70284329026	Collected: 01/10/24 06:06	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:34	7439-92-1	

Sample: WATSON 50	Lab ID: 70284329027	Collected: 01/10/24 06:07	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.6	ug/L	1.0	1		01/18/24 17:39	7439-92-1	

Sample: WATSON 51	Lab ID: 70284329028	Collected: 01/10/24 06:26	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:40	7439-92-1	

Sample: WATSON 53	Lab ID: 70284329029	Collected: 01/10/24 06:28	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:42	7439-92-1	

Sample: WATSON 54	Lab ID: 70284329030	Collected: 01/10/24 06:30	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

Sample: WATSON 55	Lab ID: 70284329031	Collected: 01/10/24 06:31	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:45	7439-92-1	

Sample: WATSON 58	Lab ID: 70284329032	Collected: 01/10/24 06:32	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:46	7439-92-1	

Sample: WATSON 60	Lab ID: 70284329033	Collected: 01/10/24 06:33	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:48	7439-92-1	

Sample: WATSON 62	Lab ID: 70284329034	Collected: 01/10/24 06:34	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:49	7439-92-1	

Sample: WATSON 65	Lab ID: 70284329035	Collected: 01/10/24 06:25	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

Sample: WATSON 70	Lab ID: 70284329036	Collected: 01/10/24 06:11	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:53	7439-92-1	

Sample: WATSON 72	Lab ID: 70284329037	Collected: 01/10/24 06:12	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:57	7439-92-1	

Sample: WATSON 74	Lab ID: 70284329038	Collected: 01/10/24 06:13	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 17:59	7439-92-1	

Sample: WATSON 76	Lab ID: 70284329039	Collected: 01/10/24 06:14	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 18:00	7439-92-1	

Sample: WATSON 78	Lab ID: 70284329040	Collected: 01/10/24 06:15	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 18:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

Sample: WATSON 80	Lab ID: 70284329041	Collected: 01/10/24 06:16	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 18:06	7439-92-1	

Sample: WATSON 82	Lab ID: 70284329042	Collected: 01/10/24 06:17	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 18:11	7439-92-1	

Sample: WATSON 83	Lab ID: 70284329043	Collected: 01/10/24 06:18	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 18:18	7439-92-1	

Sample: WATSON 87	Lab ID: 70284329044	Collected: 01/10/24 06:10	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.9	ug/L	1.0	1		01/18/24 18:20	7439-92-1	

Sample: WATSON 88	Lab ID: 70284329045	Collected: 01/10/24 06:24	Received: 01/16/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/18/24 18:22	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

Sample: WATSON 90		Lab ID: 70284329046	Collected: 01/10/24 06:40	Received: 01/16/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/18/24 18:23	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

QC Batch:	334429	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70284329001, 70284329002, 70284329003, 70284329004, 70284329005, 70284329006, 70284329007, 70284329008, 70284329009, 70284329010, 70284329011, 70284329012, 70284329013, 70284329014, 70284329015, 70284329016, 70284329017, 70284329018, 70284329019, 70284329020		

METHOD BLANK:	1718452	Matrix:	Water
Associated Lab Samples:	70284329001, 70284329002, 70284329003, 70284329004, 70284329005, 70284329006, 70284329007, 70284329008, 70284329009, 70284329010, 70284329011, 70284329012, 70284329013, 70284329014, 70284329015, 70284329016, 70284329017, 70284329018, 70284329019, 70284329020		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	01/18/24 16:28	

LABORATORY CONTROL SAMPLE:	1718453					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.3	105	85-115	

MATRIX SPIKE SAMPLE:	1718455						
Parameter	Units	70284329001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	54.9	108	70-130	

MATRIX SPIKE SAMPLE:	1718457						
Parameter	Units	70284329002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	53.4	107	70-130	

SAMPLE DUPLICATE:	1718454				
Parameter	Units	70284329001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE:	1718456				
Parameter	Units	70284329002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

QC Batch:	334430	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70284329021, 70284329022, 70284329023, 70284329024, 70284329025, 70284329026, 70284329027, 70284329028, 70284329029, 70284329030, 70284329031, 70284329032, 70284329033, 70284329034, 70284329035, 70284329036, 70284329037, 70284329038, 70284329039, 70284329040		

METHOD BLANK:	1718464	Matrix:	Water
Associated Lab Samples:	70284329021, 70284329022, 70284329023, 70284329024, 70284329025, 70284329026, 70284329027, 70284329028, 70284329029, 70284329030, 70284329031, 70284329032, 70284329033, 70284329034, 70284329035, 70284329036, 70284329037, 70284329038, 70284329039, 70284329040		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	01/18/24 17:14	

LABORATORY CONTROL SAMPLE:	1718465					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.4	101	85-115	

MATRIX SPIKE SAMPLE:	1718467						
Parameter	Units	70284329021 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	49.3	98	70-130	

MATRIX SPIKE SAMPLE:	1718469						
Parameter	Units	70284329022 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	51.1	102	70-130	

SAMPLE DUPLICATE:	1718466				
Parameter	Units	70284329021 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE:	1718468				
Parameter	Units	70284329022 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

QC Batch:	334436	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70284329041, 70284329042, 70284329043, 70284329044, 70284329045, 70284329046		

METHOD BLANK: 1718511 Matrix: Water
 Associated Lab Samples: 70284329041, 70284329042, 70284329043, 70284329044, 70284329045, 70284329046

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	01/18/24 18:03	

LABORATORY CONTROL SAMPLE: 1718512

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.4	105	85-115	

MATRIX SPIKE SAMPLE: 1718514

Parameter	Units	70284329041 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.9	101	70-130	

MATRIX SPIKE SAMPLE: 1718516

Parameter	Units	70284329042 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	51.4	102	70-130	

SAMPLE DUPLICATE: 1718513

Parameter	Units	70284329041 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1718515

Parameter	Units	70284329042 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

WORKORDER QUALIFIERS

WO: 70284329

[1] Sample collection date and/or times on containers does not match COC; client notified. See Sample Condition Upon Receipt Form for details.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WATSON WILLIAMS ELEMENTARY1/10

Pace Project No.: 70284329

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70284329001	WATSON 2	EPA 200.8	334429		
70284329002	WATSON 3	EPA 200.8	334429		
70284329003	WATSON 5	EPA 200.8	334429		
70284329004	WATSON 7	EPA 200.8	334429		
70284329005	WATSON 8	EPA 200.8	334429		
70284329006	WATSON 9	EPA 200.8	334429		
70284329007	WATSON 11	EPA 200.8	334429		
70284329008	WATSON 12	EPA 200.8	334429		
70284329009	WATSON 13	EPA 200.8	334429		
70284329010	WATSON 14	EPA 200.8	334429		
70284329011	WATSON 15	EPA 200.8	334429		
70284329012	WATSON 17	EPA 200.8	334429		
70284329013	WATSON 18	EPA 200.8	334429		
70284329014	WATSON 19	EPA 200.8	334429		
70284329015	WATSON 21	EPA 200.8	334429		
70284329016	WATSON 27	EPA 200.8	334429		
70284329017	WATSON 28	EPA 200.8	334429		
70284329018	WATSON 36	EPA 200.8	334429		
70284329019	WATSON 38	EPA 200.8	334429		
70284329020	WATSON 39	EPA 200.8	334429		
70284329021	WATSON 40	EPA 200.8	334430		
70284329022	WATSON 42	EPA 200.8	334430		
70284329023	WATSON 44	EPA 200.8	334430		
70284329024	WATSON 46	EPA 200.8	334430		
70284329025	WATSON 48	EPA 200.8	334430		
70284329026	WATSON 49	EPA 200.8	334430		
70284329027	WATSON 50	EPA 200.8	334430		
70284329028	WATSON 51	EPA 200.8	334430		
70284329029	WATSON 53	EPA 200.8	334430		
70284329030	WATSON 54	EPA 200.8	334430		
70284329031	WATSON 55	EPA 200.8	334430		
70284329032	WATSON 58	EPA 200.8	334430		
70284329033	WATSON 60	EPA 200.8	334430		
70284329034	WATSON 62	EPA 200.8	334430		
70284329035	WATSON 65	EPA 200.8	334430		
70284329036	WATSON 70	EPA 200.8	334430		
70284329037	WATSON 72	EPA 200.8	334430		
70284329038	WATSON 74	EPA 200.8	334430		
70284329039	WATSON 76	EPA 200.8	334430		
70284329040	WATSON 78	EPA 200.8	334430		
70284329041	WATSON 80	EPA 200.8	334436		
70284329042	WATSON 82	EPA 200.8	334436		
70284329043	WATSON 83	EPA 200.8	334436		
70284329044	WATSON 87	EPA 200.8	334436		
70284329045	WATSON 88	EPA 200.8	334436		
70284329046	WATSON 90	EPA 200.8	334436		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - Affix Workorder/Login Label Here



Scan QR Code for Instructions

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name:
Street Address:
Ultra Central School District
925 York St Utica, NY 13502

Customer Project #:
Project Name:
Watson Williams Elementary

Contact/Report To:
Tiffany Service
Phone #: 315-927-4110
E-Mail: tservice@uticaschools.org
Cc E-Mail:

Invoice To:
Tiffany Service
Invoice E-Mail: tservice@uticaschools.org

Purchase Order # (if applicable):
Quote #:

County / State origin of sample(s):
New York

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead In School DW

Rush (Pre-approval required):
[] 2 Day [] 3 day [] 5 day [] Other _____
Standard 10 business day
Date Results Requested: _____
Field Filtered (if applicable): [] Yes [] No
Analysis:

* Matrix Codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biosassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Metric *	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers
		Date	Time	Date	Time		
Watson 15	DW	1-10-2024	0530				1 Plastic
17			0522				
18			0523				
19			0524				
21			0526				
27			0527				
28			0528				
36			0549				
38			0549				
39			0547				

Additional Instructions from Pace®:
Collected By: *Chris Putzer*
Printed Name: Chris Putzer
Signature: *Chris Putzer*

Received by/Company: *pace*
Signature: *Chris Putzer*

Received by/Company: *pace*
Signature: *Chris Putzer*

Received by/Company: *pace*
Signature: *Chris Putzer*

Received by/Company: *pace*
Signature: *Chris Putzer*

Received by/Company: *pace*
Signature: *Chris Putzer*

Received by/Company: *pace*
Signature: *Chris Putzer*

Received by/Company: *pace*
Signature: *Chris Putzer*

Received by/Company: *pace*
Signature: *Chris Putzer*

Received by/Company: *pace*
Signature: *Chris Putzer*

Received by/Company: *pace*
Signature: *Chris Putzer*

Specify Container Size **
125mL, (5) 100mL, (6) 40mL Vial, (7) Encone, (8) FernCom, (9) Other

Identify Container Preservative Type***
*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) NaOH, (11) Other

Analysis Requested

Prof. Mgr:
Lori Bayer
AccNum / Client ID:

Table #:

Profile / Template:
X

Prelog / Bottle Ord. ID:

Sample Comment

Preservation non-conformance identified for

Lab Use Only

Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

Date/Time: 1-15-24 14:35

Date/Time: 1/16 4:10

Date/Time: 1/16/24 8:00

Date/Time:

Tracing Number:

Delivered by: [] In-Person [] Courier

[] FedEx [] UPS [] Other

Page: 2 of 5

ENV-FRM-CORQ-0019_V01_082123



Pace* Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name:
Ultesa Central School District
Street Address:
925 York St Utica, NY 13502

Customer Project #:
Project Name:
Watson Williams Elementary

Site Collection Info/Facility ID (as applicable):

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET [] AT
Data Deliverables:
[] Level II [] Level III [] Level IV
[] EQUIS
[] Other

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead In School DW
Rush (Pre-approval required):
[] 12 Day [] 3 day [] 15 day [] Other
Date Results Requested:
Standard 30 business day
Analysis:
DW PWSID # or WW Permit # as applicable:
Field Filtered (if applicable): [] Yes [] No

County / State origin of sample(s): New York
Contact/Report To:
Tiffany Service
Phone #: 915-927-4110
E-Mail: tservice@uticaschools.org
Cc E-Mail:
Invoice To:
Tiffany Service
Invoice E-Mail: tservice@uticaschools.org
Purchase Order # (if applicable):
Quote #:

* Metric Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SEP), Sludge (SL), Caulk

Customer Sample ID	Metric *	Comp / Grab	Collected (or Composite Size)		Composite End		Res. CL2	Number & Type of Comments	
			Date	Time	Date	Time		Plastic	Glass
Watson 55	DW	G	1-10-2024	0631			1		
58				0632					
60				0634	0633				
62				0634					
65				0625					
70				0611					
72				0612					
74				0613					
76				0614					
78				0615					

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By:
Printed Name: Chris Putzer
Signature: *Chris Putzer*
Received by/Company (Signature): *Chris Putzer*
Date/Time: 1-15-24 11:00
Received by/Company (Signature): *Chris Putzer*
Date/Time: 1-15-24 11:00
Received by/Company (Signature): *Chris Putzer*
Date/Time: 1-16-24 8:00
Received by/Company (Signature): *Chris Putzer*
Date/Time:

LAB USE ONLY - Affix Workorder/Login Label Here



Scan QR Code for Instructions

Specify Container Size **
Identify Container Preservative Type***
Analysis Requested

Preservation non-conformance identified for
Lab Use Only
Proj. Mgr:
Loft Beyer
AcctNum / Client ID:
Table #:
Profile / Template:
Prelog / Bottle Ord. ID:

Additional Instructions from Pace*	# Coolers:	Thermometer ID:	Connection Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)

Trucking Number:
Date/Time: 1-15-24 11:35
Date/Time: 1/16 4:10
Date/Time: 1/16/24 8:00
Date/Time:
Delivered by: [] In-Person [] Courier
[] FedEx [] UPS [] Other
Page: 4 of 5

WO#: 70284329

Client Name: _____ Project # _____

PM: JL1 Due Date: 01/24/24

Courier: Fed Ex UPS USPS Client Commercial Pack Other

CLIENT: UCCSD

Tracking #: _____

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Temperature Blank Present: Yes No

Packing Material: Bubble Wrap Bubble Bags Ziplo None Other Type of Ice: Wet Blue None

Thermometer Used: TH211 Correction Factor: +0.4 Samples on ice, cooling process has begun

Cooler Temperature (°C): 17.4 Cooler Temperature Corrected (°C): 17.8 Date/Time 5035A kits placed in freezer _____

Temp should be above freezing to 6.0°C

USDA Regulated Soil N/A, water sample

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No

Did samples originate from a foreign source including Hawaii and Puerto Rico? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: *SH 1/16/24*

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: <input checked="" type="checkbox"/> SL <input type="checkbox"/> WT <input type="checkbox"/> OIL <input type="checkbox"/> OTHER	

Date and Initials of person checking preservation: *SH 1/16/24*

All containers needing preservation have been: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <i>227822</i>	Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide, NAOH > 12 Cyanide) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis	Initial when completed: Lot # of added preservative: Date/Time preservative added:
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot #	
Residual chlorine strips Lot #	15. Positive for Sulfide? Y N
SM 4500 CN samples checked for sul: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lead Acetate Strips Lot #	
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Custody Seals Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

DATE AND INITIALS OF PERSON COMPLETING SECOND REVIEW: *JP 1/16/24*

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

Samples bottles #72 not match with COC sample #76 but time is matching. Sample bottle 70 not matching with COC #74 but time is matching.

* PM (Project Manager) review is documented electronically in LIMS.